## MRC Global

|   |  | Qualification Test Record<br>NORSOK M-650 Edition 4 |  |   |        |                      | QTR. No.:<br>WS-QTR-003  |  |  |
|---|--|---|--|---|--------|----------------------|--------------------------|--|--|
|   |  |   |  |   |        |                      | Rev. No.:<br>05          |  |  |
| Manufacturer<br>name/address/                   |  |   | H, Kuhleshütte 111, 478                      | 09 Krefeld,                                   | German | ıy                   |                          |  |  |
| Web page:                                       | www.wschulz.com  |   |  |   |        |                      |                          |  |  |
| Reference standard                              | Norsok M-650 Edition 4   |   |  |   |        |                      |                          |  |  |
| Material designation and MDS No.:               | ASTM A815/ UNS S31803 acc. to MDS D43 Rev. 6   |   |  |   |        |                      |                          |  |  |
| Manufacturing summary doc. No.:                 | MSWPS31803-W/WX, MSWPS31803-S P, MSWPS31803-S Rev. No.   |   |  |   |        |                      | No.: 11                  |  |  |
| Products and<br>manufacturing<br>process(es):   | Cold formed seamless and welded fittings, WPS31803-S/ -W/ -WX, manufactured from pipes and plates, by Hydro Forming and Dye Forming  |   |  |   |        |                      |                          |  |  |
| Mandatory conditions and<br>sub-contractors:    | Heat treatment by Furnace No. 600 and Furnace No. 570 in house Heat treatment procedure verifications satisfactory carried out under witness of qualifying company   |   |  |   |        |                      |                          |  |  |
| Other information:                              | Mechanical and Metallurgical Testing by DEKRA Incos GmbH, D-47228 Duisburg TÜV Rheinland Werkstoffprüfung GmbH, D-13158 Berlin and D-44649 Herne Element Materials Technology Hamburg GmbH, D-21079 Hamburg TPW Prüfzentrum GmbH, D-41460 Neuss MT Laboratories GmbH, D-40667 Meerbusch and D-47229 Duisburg |   |  |   |        |                      |                          |  |  |
|   |  |   | ualified Thickness                           |   |        |                      |                          |  |  |
| Products and manufacturing process(es):         |  | Test record<br>No.                                  | Tested thickness<br>(mm)                     | Qualified<br>thickness<br>(mm)                | we     | piece<br>ight<br>(g) | Qualified weight<br>(kg) |  |  |
| Elbow 90 DEG LR WP-S<br>MSWPS31803-S Rev. 8     |  | B2<br>B4  | 168,3 x 4,5<br>457,2 x 54,99                 | 60,0  |        |                      |                          |  |  |
| Tee WP-S<br>MSWPS31803-S Rev. 8                 |  | T2<br>T4  | 168,3 x 4,5<br>457,2 x 54,99                 | 60,0  |        |                      |                          |  |  |
| Conc. Red WP-S<br>MSWPS31803-S Rev. 8           |  | R2<br>R4  | 168,3 x 141,3 x 5,0<br>457,2 x 406,4 x 54,99 | 60,0  |        |                      |                          |  |  |
| Cap WP-S<br>MSWPS31803-S P Rev. 8               |  | K2  | 457,2 x 50,0                                 | 60,0  |        |                      |                          |  |  |
| Elbow 90 DEG LR WP-WX<br>MSWPS31803-W/WX Rev. 8 |  | BG4<br>BG6  | 323,9 x 5,0<br>457,2 x 50,0                  | 60,0  |        |                      |                          |  |  |
| Tee WP-WX<br>MSWPS31803-W/WX Rev. 8             |  | TG4<br>TG6  | 323,9 x 5,0<br>457,2 x 50,0                  | 60,0  |        |                      |                          |  |  |
| Conc. Red. WP-WX<br>MSWPS31803-W/WX Rev. 8      |  | RG4<br>RG7  | 323,9 x 273 x 5,0<br>457,2 x 406,4 x 50,0    | 60,0  |        |                      |                          |  |  |
|   |  |   | nal test reports see ann                     | exure 1                                       |        |                      |                          |  |  |
|   |  |   | ion/acceptance sig                           |   |        |                      | . 4                      |  |  |
| Manufacturer:                                   | Prepared<br>Heike Ba   | hu/Data:  | ale Taol                                     | Checked by/Date:<br>Haydn Hilling, 17.02.2022 |        |                      |                          |  |  |
| Remarks/Special ren                             |  |   |  | 1,  | ,      |                      | and a                    |  |  |

- 1. The manufacturer and this QTR are evaluated and found to be in compliance with the requirements of NORSOK M-650 for supply of the above listed products and materials.
- 2. This acceptance does not exempt any purchaser from his responsibility to ensure that this qualification is valid for his products within the essential variables of NORSOK M-650.
- 3. This qualification is executed and accepted by MRC Global as "Qualifying Company" solely for the supply of the above listed products to MRC Global as "Purchaser", and MRC Global assumes no liability for the use of or reliance on this qualification/ acceptance by other purchasers.
- 4. In accordance with MRC Global internal routines and procedures, the validity of the qualification/acceptance is 1 year from the initial signing of the QTR front sheet, after which the qualification/acceptance is subject to annual verification and renewal.

Qualified/Accepted by (company name/address):



Initial approval date: 21.03.2018 21.03.2018 21.03.2023 Bey left (181) Expiry date: Signature:

NO-4033 STAVANGER

| Tested and Qualified Thickness and Weight |                       |   |                                |                              |                             |  |  |  |
|---|-----------------------|---|--------------------------------|------------------------------|-----------------------------|--|--|--|
| Products and manufacturing process(es):   | Test<br>record<br>No. | Tested<br>thickness<br>(mm)                 | Qualified<br>thickness<br>(mm) | Test piece<br>weight<br>(kg) | Qualified<br>weight<br>(kg) |  |  |  |
| Elbow 90 DEG LR WP-S                      | B2<br>B3              | 168,3 x 4,5<br>219,1 x 4,5                  | 31,75                          | 1-9/                         | (3/                         |  |  |  |
| Tee<br>WP-S                               | T2<br>T3              | 168,3 x 4,5<br>219,1 x 25,4                 | 31,75                          |                              | (C.C.)                      |  |  |  |
| Conc. Red.<br>WP-S                        | R2<br>R3              | 168,3 x 141,3 x 5,0<br>219,1 x 168,3 x 25,4 | 31,75                          |                              |                             |  |  |  |
| Cap WP-S                                  | K1                    | 406,4 x 30                                  | 37,5                           |                              |                             |  |  |  |
| Elbow 90 DEG LR WP-WX                     | BG4<br>BG5            | 323,9 x 5,0<br>406,4 x 30                   | 37,5                           |                              |                             |  |  |  |
| Tee<br>WP-WX                              | TG4<br>TG5            | 323,9 x 5,0<br>406,4 x 355,6 x 30           | 37,5                           |                              |                             |  |  |  |
| Conc. Red.<br>WP-WX                       | RG4<br>RG6            | 323,9 x 273 x 5,0<br>355,6x 323,9 x 30,0    | 37,5                           |                              |                             |  |  |  |



